

Taqsimat ta-Kontroll u l-Prevenzjoni ta-Mard

Infectious Disease Prevention & Control Unit

Health Promotion & Disease Prevention Directorate

CPSU Building, St. Lukes Square, Pieta', Malta

Tel: +356 23266115/145

E-mail: disease_surveillance@gov.mt

Infectious Disease Control Unit – Monthly Report – November 2024 – Sporadic Cases

| Notifiable Disease | Male | Female | Unknown | Maltese | Non-Maltese | Unknown | Total |
|---|------|--------|---------|---------|-------------|---------|-----------|
| Foodborne diseases | | | | | | | |
| Campylobacter | 25 | 26 | - | 40 | 11 | - | 51 |
| Cryptosporidiosis | 2 | 6 | - | 6 | 2 | - | 8 |
| Giardia | 6 | 1 | - | 5 | 2 | - | 7 |
| Hepatitis A | - | 1 | - | - | 1 | - | 1 |
| Listeria | - | - | - | - | - | - | - |
| Salmonella | 5 | 10 | - | 10 | 5 | - | 15 |
| Scombrototoxin | - | 1 | - | 1 | - | - | 1 |
| Shiga toxin/ VTEC | 3 | 1 | - | 4 | - | - | 4 |
| Shigella | 1 | - | - | 1 | - | - | 1 |
| Typhoid | - | - | - | - | - | - | - |
| Foodborne, Unspecified | 1 | - | - | 1 | - | - | 1 |
| Echinococcosis | - | - | - | - | - | - | - |
| Botulism | - | - | - | - | - | - | - |
| Cholera FoodBorne | - | - | - | - | - | - | - |
| Norovirus | 11 | 8 | - | 15 | 4 | - | 19 |
| Rotavirus | 11 | 8 | - | 16 | 2 | 1 | 19 |
| Trichinella | - | - | - | - | - | - | - |
| Amoebiasis | 1 | - | - | 1 | - | - | 1 |
| Bloodborne diseases | | | | | | | |
| AIDS | - | - | - | - | - | - | - |
| Hepatitis B | 9 | 2 | 1 | 3 | 9 | - | 12 |
| Hepatitis C | 4 | 3 | 1 | 4 | 4 | - | 8 |
| HIV | 7 | - | - | - | 7 | - | 7 |
| Hepatitis Unspecified | - | - | - | - | - | - | - |
| Invasive diseases | | | | | | | |
| Invasive Group A Streptococcus (Streptococcus Pyogenes) | 3 | 1 | - | 4 | - | - | 4 |
| Invasive Group B Streptococcus (Streptococcus Agalactiae) | - | - | - | - | - | - | - |
| Invasive Haemophilus Influenzae | 1 | - | - | 1 | - | - | 1 |
| Invasive Meningococcal Septicaemia | - | - | - | - | - | - | - |

| | | | | | | | |
|--|----|----|---|----|----|---|-----------|
| Invasive Neisseria Gonorrhoea | - | - | - | - | - | - | - |
| Invasive Streptococcus Pneumoniae | - | 1 | - | 1 | - | - | 1 |
| Puerperal fever | - | - | - | - | - | - | - |
| Meningitis | | | | | | | |
| Meningitis Viral | - | - | - | - | - | - | - |
| Meningitis, bacterial other than Neisseria Meningitidis cultured | - | - | - | - | - | - | - |
| Meningitis, Haemophilus Influenza | - | - | - | - | - | - | - |
| Meningitis, Neisseria Meningitidis | - | - | - | - | - | - | - |
| Meningitis, Non-Invasive Meningococcal disease (Neisseria meningitides cultured from non-sterile site) | - | - | - | - | - | - | - |
| Meningitis, Streptococcus Pneumoniae | - | - | - | - | - | - | - |
| Meningitis – suspected bacterial (no organism isolated from sterile site) | - | - | - | - | - | - | - |
| Acute Viral Encephalitis (Meningitis) | - | - | - | - | - | - | - |
| Aseptic / Viral Meningitis | 2 | - | - | 2 | - | - | 2 |
| Sexually transmitted diseases | | | | | | | |
| Granular conjunctivitis | - | - | - | - | - | - | - |
| Gonorrhoea- Gonococcal infection | 30 | 1 | 1 | 11 | 15 | 6 | 32 |
| Syphilis | 19 | - | - | 3 | 15 | 1 | 19 |
| Syphilis Latent | 15 | 2 | 1 | 5 | 11 | 2 | 18 |
| Syphilis Primary | 7 | - | - | 1 | 6 | - | 7 |
| Syphilis Secondary | 2 | - | - | - | 2 | - | 2 |
| Lymphogranuloma venerum (LGV) | - | - | - | - | - | - | - |
| Mycoplasma Genitalium | 6 | 3 | - | 4 | 4 | 1 | 9 |
| Trichomonas vaginalis (TV) | - | 3 | - | 1 | 2 | - | 3 |
| Chlamydia | 30 | 17 | - | 22 | 20 | 5 | 47 |
| Hepatitis B (STI) | - | - | - | - | - | - | - |
| Hepatitis C (STI) | - | - | - | - | - | - | - |
| Respiratory diseases | | | | | | | |
| Legionnaire's Disease | 1 | 2 | - | 2 | 1 | - | 3 |
| Tuberculosis, Non-Pulmonary | - | 2 | - | - | 2 | - | 2 |
| Tuberculosis, Pulmonary | 2 | 1 | - | - | 3 | - | 3 |
| Influenza | - | - | - | - | - | - | - |
| Smallpox | - | - | - | - | - | - | - |

| | | | | | | | |
|--|---|---|---|---|---|---|----|
| SARS | - | - | - | - | - | - | - |
| COVID-19 | - | - | - | - | - | - | - |
| Pneumonia | - | - | - | - | - | - | - |
| Scarlet Fever | 1 | 5 | - | 6 | - | - | 6 |
| Vaccine preventable diseases | | | | | | | |
| Chickenpox | 3 | 8 | - | 5 | 6 | - | 11 |
| Measles | - | - | - | - | - | - | - |
| Mumps | - | - | - | - | - | - | - |
| Pertussis | - | - | - | - | - | - | - |
| Rubella | - | - | - | - | - | - | - |
| Shingles, Herpes Zoster | 1 | 2 | - | 3 | - | - | 3 |
| Tetanus | - | - | - | - | - | - | - |
| Diphtheria | - | - | - | - | - | - | - |
| Polio | - | - | - | - | - | - | - |
| Congenital rubella syndrome | - | - | - | - | - | - | - |
| Vector-borne diseases | | | | | | | |
| Chikungunya | - | - | - | - | - | - | - |
| Dengue | - | - | - | - | - | - | - |
| Leishmaniasis (Cutaneous) | - | - | - | - | - | - | - |
| Leishmaniasis (Visceral) | - | - | - | - | - | - | - |
| Malaria | 1 | - | - | - | 1 | - | 1 |
| Sandfly Fever | - | - | - | - | - | - | - |
| Typhus, Tick-borne (Rickettsia) | 1 | 1 | - | 2 | - | - | 2 |
| Typhus, Scrub | - | - | - | - | - | - | - |
| Typhus, Epidemic | - | - | - | - | - | - | - |
| West Nile Fever | - | - | - | - | - | - | - |
| Yellow Fever | - | - | - | - | - | - | - |
| Schistosomiasis | - | - | - | - | - | - | - |
| Tularaemia | - | - | - | - | - | - | - |
| Louse borne relapsing fever | - | - | - | - | - | - | - |
| Filovirus | - | - | - | - | - | - | - |
| Hantavirus | - | - | - | - | - | - | - |
| Lyme Disease | - | - | - | - | - | - | - |
| Rift Valley Fever | - | - | - | - | - | - | - |
| Zoonotic diseases | | | | | | | |
| Brucellosis | - | - | - | - | - | - | - |
| Cryptosporidiosis (Zoonotic) | - | - | - | - | - | - | - |
| Echinococcosis (Zoonotic) | - | - | - | - | - | - | - |
| Leptospirosis | - | 1 | - | 1 | - | - | 1 |
| Q-Fever | - | - | - | - | - | - | - |
| Toxoplasmosis | - | - | - | - | - | - | - |
| Ebola | - | - | - | - | - | - | - |
| Marburg | - | - | - | - | - | - | - |
| Plague | - | - | - | - | - | - | - |
| Rabies | - | - | - | - | - | - | - |
| Tularaemia | - | - | - | - | - | - | - |
| Lassa Fever | - | - | - | - | - | - | - |
| Yersinia | - | - | - | - | - | - | - |
| Erysipelas | - | - | - | - | - | - | - |
| Monkeypox | - | - | - | - | - | - | - |
| Anthrax | - | - | - | - | - | - | - |
| Viral haemorrhagic fever | - | - | - | - | - | - | - |
| Other diseases | | | | | | | |
| Acute Flaccid Paralysis | - | - | - | - | - | - | - |
| Classical Creutzfeldt - Jakob Disease | - | - | - | - | - | - | - |
| Variant Creutzfeldt - Jakob Disease | - | - | - | - | - | - | - |
| Scabies | 9 | 6 | - | 8 | 6 | 1 | 15 |
| Acute Viral Encephalitis | - | - | - | - | - | - | - |
| Hand Foot and Mouth | 4 | 2 | - | 3 | 3 | - | 6 |
| Hepatitis Unspecified | 3 | - | - | 3 | - | - | 3 |
| Botulism | - | - | - | - | - | - | - |
| Scarlet Fever | - | - | - | - | - | - | - |
| Leprosy | - | - | - | - | - | - | - |
| Antimicrobial Resistance | - | - | - | - | - | - | - |
| Nosocomial Infection (Hospital acquired) | - | - | - | - | - | - | - |
| Transmissible spongiform encephalopathies (prion disease) | - | - | - | - | - | - | - |
| Epstein-Barr Virus | - | - | - | - | - | - | - |
| Cytomegalovirus | - | - | - | - | - | - | - |
| Herpes Simplex | - | - | - | - | - | - | - |
| Pin worms | - | - | - | - | - | - | - |
| Head lice | - | - | - | - | - | - | - |
| Enterobius Vermicularis | - | - | - | - | - | - | - |

| Infectious Disease Control Unit – Monthly Report – November 2024 – Outbreaks | | | | | | | |
|--|-------------|---------------|----------------|----------------|--------------------|----------------|--------------|
| The figures in brackets indicate the number of implicated outbreaks/clusters. | | | | | | | |
| Notifiable Disease | Male | Female | Unknown | Maltese | Non-Maltese | Unknown | Total |
| Foodborne diseases | | | | | | | |
| Campylobacter | 6 | 2 | - | 6 | 2 | - | 8(4) |
| Cryptosporidiosis | 1 | 1 | - | 2 | - | - | 2(1) |
| Giardia | - | - | - | - | - | - | - |
| Hepatitis A | - | - | - | - | - | - | - |
| Listeria | - | - | - | - | - | - | - |
| Salmonella | - | - | - | - | - | - | - |
| Scombrotoxin | - | - | - | - | - | - | - |
| Shiga toxin/ VTEC | - | - | - | - | - | - | - |
| Shigella | - | - | - | - | - | - | - |
| Typhoid | - | - | - | - | - | - | - |
| Foodborne, Unspecified | - | - | - | - | - | - | - |
| Echinococcosis | - | - | - | - | - | - | - |
| Botulism | - | - | - | - | - | - | - |

| | | | | | | | |
|--|---|----|----|----|---|----|-------|
| Cholera FoodBorne | - | - | - | - | - | - | - |
| Norovirus | 4 | 10 | 11 | 12 | 2 | 11 | 25(4) |
| Rotavirus | 1 | - | 4 | 1 | - | 4 | 5(1) |
| Trichinella | - | - | - | - | - | - | - |
| Amoebiasis | - | - | - | - | - | - | - |
| Bloodborne diseases | | | | | | | |
| AIDS | - | - | - | - | - | - | - |
| Hepatitis B | - | - | - | - | - | - | - |
| Hepatitis C | - | - | - | - | - | - | - |
| HIV | - | - | - | - | - | - | - |
| Hepatitis Unspecified | - | - | - | - | - | - | - |
| Invasive diseases | | | | | | | |
| Invasive Group A Streptococcus (Streptococcus Pyogenes) | - | - | - | - | - | - | - |
| Invasive Group B Streptococcus (Streptococcus Agalactiae) | - | - | - | - | - | - | - |
| Invasive Haemophilus Influenzae | - | - | - | - | - | - | - |
| Invasive Meningococcal Septicaemia | - | - | - | - | - | - | - |
| Invasive Neisseria Gonorrhoea | - | - | - | - | - | - | - |
| Invasive Streptococcus Pneumoniae | - | - | - | - | - | - | - |
| Puerperal fever | - | - | - | - | - | - | - |
| Meningitis | | | | | | | |
| Meningitis Viral | - | - | - | - | - | - | - |
| Meningitis, bacterial other than Neisseria Meningitidis cultured | - | - | - | - | - | - | - |
| Meningitis, Haemophilus Influenza | - | - | - | - | - | - | - |
| Meningitis, Neisseria Meningitidis | - | - | - | - | - | - | - |
| Meningitis, Non-Invasive Meningococcal disease (Neisseria meningitidis cultured from non-sterile site) | - | - | - | - | - | - | - |
| Meningitis, Streptococcus Pneumoniae | - | - | - | - | - | - | - |
| Meningitis – suspected bacterial (no organism isolated from sterile site) | - | - | - | - | - | - | - |
| Acute Viral Encephalitis (Meningitis) | - | - | - | - | - | - | - |
| Aseptic / Viral Meningitis | - | - | - | - | - | - | - |
| Sexually transmitted diseases | | | | | | | |
| Granular conjunctivitis | - | - | - | - | - | - | - |
| Gonorrhoea- Gonococcal infection | - | - | - | - | - | - | - |
| Syphilis | - | - | - | - | - | - | - |
| Syphilis Latent | - | - | - | - | - | - | - |
| Syphilis Primary | - | - | - | - | - | - | - |
| Syphilis Secondary | - | - | - | - | - | - | - |
| Lymphogranuloma venerum (LGV) | - | - | - | - | - | - | - |
| Mycoplasma Genitalium | - | - | - | - | - | - | - |
| Trichomonas vaginalis (TV) | - | - | - | - | - | - | - |
| Chlamydia | - | - | - | - | - | - | - |
| Hepatitis B (STI) | - | - | - | - | - | - | - |
| Hepatitis C (STI) | - | - | - | - | - | - | - |
| Respiratory diseases | | | | | | | |
| Legionnaire's Disease | - | - | - | - | - | - | - |
| Tuberculosis, Non-Pulmonary | - | - | - | - | - | - | - |
| Tuberculosis, Pulmonary | - | - | - | - | - | - | - |
| Influenza | - | - | - | - | - | - | - |
| Smallpox | - | - | - | - | - | - | - |
| SARS | - | - | - | - | - | - | - |
| COVID-19 | - | - | - | - | - | - | - |
| Pneumonia | - | - | - | - | - | - | - |
| Scarlet Fever | - | - | - | - | - | - | - |
| Vaccine preventable diseases | | | | | | | |
| Chickenpox | 2 | - | - | 2 | - | - | 2(1) |
| Measles | - | - | - | - | - | - | - |
| Mumps | - | - | - | - | - | - | - |
| Pertussis | - | - | - | - | - | - | - |
| Rubella | - | - | - | - | - | - | - |
| Shingles, Herpes Zoster | - | - | - | - | - | - | - |
| Tetanus | - | - | - | - | - | - | - |
| Diphtheria | - | - | - | - | - | - | - |
| Polio | - | - | - | - | - | - | - |
| Congenital rubella syndrome | - | - | - | - | - | - | - |
| Vector-borne diseases | | | | | | | |
| Chikungunya | - | - | - | - | - | - | - |
| Dengue | - | - | - | - | - | - | - |
| Leishmaniasis (Cutaneous) | - | - | - | - | - | - | - |
| Leishmaniasis (Visceral) | - | - | - | - | - | - | - |
| Malaria | - | - | - | - | - | - | - |
| Sandfly Fever | - | - | - | - | - | - | - |
| Typhus, Tick-borne (Rickettsia) | - | - | - | - | - | - | - |
| Typhus, Scrub | - | - | - | - | - | - | - |
| Typhus, Epidemic | - | - | - | - | - | - | - |
| West Nile Fever | - | - | - | - | - | - | - |
| Yellow Fever | - | - | - | - | - | - | - |
| Schistosomiasis | - | - | - | - | - | - | - |
| Tularaemia | - | - | - | - | - | - | - |
| Louse borne relapsing fever | - | - | - | - | - | - | - |
| Filovirus | - | - | - | - | - | - | - |
| Hantavirus | - | - | - | - | - | - | - |
| Lyme Disease | - | - | - | - | - | - | - |
| Rift Valley Fever | - | - | - | - | - | - | - |
| Zoonotic diseases | | | | | | | |
| Brucellosis | - | - | - | - | - | - | - |
| Cryptosporidiosis (Zoonotic) | - | - | - | - | - | - | - |
| Echinococcosis (Zoonotic) | - | - | - | - | - | - | - |
| Leptospirosis | - | - | - | - | - | - | - |
| Q-Fever | - | - | - | - | - | - | - |
| Toxoplasmosis | - | - | - | - | - | - | - |
| Ebola | - | - | - | - | - | - | - |

| | | | | | | | |
|--|---|---|---|---|---|---|------|
| Marburg | - | - | - | - | - | - | - |
| Plague | - | - | - | - | - | - | - |
| Rabies | - | - | - | - | - | - | - |
| Tularaemia | - | - | - | - | - | - | - |
| Lassa Fever | - | - | - | - | - | - | - |
| Yersinia | - | - | - | - | - | - | - |
| Erysipelas | - | - | - | - | - | - | - |
| Monkeypox | - | - | - | - | - | - | - |
| Anthrax | - | - | - | - | - | - | - |
| Viral haemorrhagic fever | - | - | - | - | - | - | - |
| Other diseases | | | | | | | |
| Acute Flaccid Paralysis | - | - | - | - | - | - | - |
| Classical Creutzfeldt - Jakob Disease | - | - | - | - | - | - | - |
| Variant Creutzfeldt - Jakob Disease | - | - | - | - | - | - | - |
| Scabies | 1 | 1 | - | 1 | - | 1 | 2(1) |
| Acute Viral Encephalitis | - | - | - | - | - | - | - |
| Hand Foot and Mouth | - | - | - | - | - | - | - |
| Hepatitis Unspecified | - | - | - | - | - | - | - |
| Botulism | - | - | - | - | - | - | - |
| Scarlet Fever | - | - | - | - | - | - | - |
| Leprosy | - | - | - | - | - | - | - |
| Antimicrobial Resistance | - | - | - | - | - | - | - |
| Nosocomial Infection (Hospital acquired) | - | - | - | - | - | - | - |
| Transmissible spongiform encephalopathies (prion disease) | - | - | - | - | - | - | - |
| Epstein-Barr Virus | - | - | - | - | - | - | - |
| Cytomegalovirus | - | - | - | - | - | - | - |
| Herpes Simplex | - | - | - | - | - | - | - |
| Pin worms | - | - | - | - | - | - | - |
| Head lice | - | - | - | - | - | - | - |